



PUBLIC NOTICE

Federal Communications Commission
445 12th St., S.W.
Washington, D.C. 20554

News Media Information 202 / 418-0500
Internet: <http://www.fcc.gov>
TTY: 1-888-835-5322

Report Number: 17139

Date of Report: 09/28/2022

**Public Safety and Homeland Security Bureau
Site Based Licenses
Termination Pending Public Notice**

This Public Notice lists those licenses and license components that the Commission's Universal Licensing System (ULS) has placed in "Termination Pending" status. According to the Bureau's licensing records, the licensee did not file the Required Notice of Construction no later than 15 days after the construction deadline, see 47 C.F.R. § 1.946(d), or a Request for an Extension of Time before the expiration of the construction deadline, see id. 1.946(e), for the listed license or license components. If a licensee does not file the Required Notification or Extension of Time request, the Bureau presumes that the license or license component has not been constructed. Licensees that did meet their construction requirement have 30 days from the date of this Public Notice to file a petition for reconsideration showing that they have timely met the construction deadline.

In filing a petition for reconsideration, the licensee must include the actual date when construction was completed. Petitions for reconsideration may be filed electronically through ULS or by paper through the Office of the Secretary. To file electronically, visit the ULS web site at <http://wireless.fcc.gov/uls/> and click on the "Submit a Pleading" link, complete the administrative information, and upload your petition for reconsideration. If filing by paper, the petitions for reconsideration should be directed to the Public Safety and Homeland Security Bureau and should further include, on the first page, the license Call Sign, Radio Service, and name of the Licensing Division reviewing the petition. This information is provided in the tables below. For further information on filing a petition for reconsideration, visit the Public Safety and Homeland Security Bureau website at <http://wireless.fcc.gov/rules.html> and select "Part 1 - Practice and Procedure." The rules for petitions for reconsideration can be found at Section 1.106, 47 C.F.R. § 1.106. For filing addresses, visit the Office of the Secretary's website at <http://www.fcc.gov/osec>. For general information, visit the Commission's website at <http://www.fcc.gov> or call the FCC Support Center at (877) 480-3201 and select option #2 or TTY (202) 414-1255.

Full License Termination Pending

| | | |
|----------------------------------------------------------------|------------------------------|--------------------------------------------|
| GE - PubSafty/SpecEmer/PubSaftyNtlPlan,806-817/851-862MHz,Conv | | Public Safety and Homeland Security Bureau |
| Call Sign | Licensee Name | Termination Date |
| WRNU883 | NARRAGANSETT FIRE DEPARTMENT | 08/25/2022 |

| | | |
|-----------------------------------|-----------------------------------------------------|--------------------------------------------|
| MW - Microwave Public Safety Pool | | Public Safety and Homeland Security Bureau |
| Call Sign | Licensee Name | Termination Date |
| WRKW549 | City and County of San Francisco, SFPUC ITS - RADIO | 08/23/2022 |
| WRKW934 | City and County of San Francisco, SFPUC ITS - RADIO | 08/24/2022 |

Full License Termination Pending

| | | |
|-----------------------------------|-----------------------------------------------------|--------------------------------------------|
| MW - Microwave Public Safety Pool | | Public Safety and Homeland Security Bureau |
| Call Sign | Licensee Name | Termination Date |
| WRKW935 | City and County of San Francisco, SFPUC ITS - RADIO | 08/24/2022 |
| WRKW937 | City and County of San Francisco, SFPUC ITS - RADIO | 08/24/2022 |

| | | |
|---------------------------------------|-----------------------------------|--------------------------------------------|
| PW - Public Safety Pool, Conventional | | Public Safety and Homeland Security Bureau |
| Call Sign | Licensee Name | Termination Date |
| WRNT712 | MASSAC CO UNIT SCHOOLS DISTRICT 1 | 08/23/2022 |
| WRNU650 | WOODWARD, COUNTY OF | 08/24/2022 |

Location Termination Pending

| Call Sign | Licensee Name | City Latitude | State Longitude | Location Termination # Date |
|-----------|---------------|------------------|--------------------|-----------------------------------|
|-----------|---------------|------------------|--------------------|-----------------------------------|

Frequency Termination Pending

| GE - PubSafty/SpecEmer/PubSaftyNtlPlan,806-817/851-862MHz,Conv | | Public Safety and Homeland Security Bureau | | | | |
|----------------------------------------------------------------|-----------------------|--------------------------------------------|--------------|--------|------|-------------|
| Call Sign | Licensee Name | City | State | Loc./ | Ant. | Termination |
| Stn Class | Lower/Upper Frequency | Latitude | Longitude | Path # | # | Date |
| WRNT602 | MERCY HOSPITAL | SPRINGFIELD | MO | 9 | 1 | 08/20/2022 |
| MO | 812.03750000 | 37-14-57.0 N | 93-19-18.6 W | | | |
| WRNT602 | MERCY HOSPITAL | SPRINGFIELD | MO | 9 | 1 | 08/20/2022 |
| MO3 | 857.03750000 | 37-14-57.0 N | 93-19-18.6 W | | | |
| WRNT602 | MERCY HOSPITAL | SPRINGFIELD | MO | 9 | 1 | 08/20/2022 |
| MO | 857.03750000 | 37-14-57.0 N | 93-19-18.6 W | | | |
| WRNT602 | MERCY HOSPITAL | | | 11 | 1 | 08/20/2022 |
| MO | 811.46250000 | -- | -- | | | |
| WRNT602 | MERCY HOSPITAL | | | 11 | 1 | 08/20/2022 |
| MO | 856.46250000 | -- | -- | | | |
| WRNT602 | MERCY HOSPITAL | | | 11 | 1 | 08/20/2022 |
| MO3 | 856.46250000 | -- | -- | | | |

Frequency Termination Pending

MW - Microwave Public Safety Pool

Public Safety and Homeland Security Bureau

| Call Sign | Licensee Name | City | State | Loc./ | Ant. | Termination |
|-----------|------------------------------|--------------|-------------|--------|------|-------------|
| Stn Class | Lower/Upper Frequency | Latitude | Longitude | Path # | # | Date |
| WRKW930 | Commonwealth of Pennsylvania | Newport | PA | 1 | | 08/24/2022 |
| FXO | 11245.00000000 | 40-29-51.2 N | 77-6-19.2 W | 1 | | |

PW - Public Safety Pool, Conventional

Public Safety and Homeland Security Bureau

| Call Sign | Licensee Name | City | State | Loc./ | Ant. | Termination |
|-----------|-----------------------|--------------|---------------|--------|------|-------------|
| Stn Class | Lower/Upper Frequency | Latitude | Longitude | Path # | # | Date |
| WQOR825 | CLOVIS, CITY OF | Clovis | CA | 5 | 1 | 08/19/2022 |
| FB2S | 155.31750000 | 36-48-18.3 N | 119-38-29.4 W | | | |